

Specifications
For
Traffic Control Paint Markings of Roadways

The City of Rice Lake will be accepting bid proposals for a contractor to furnish and install Traffic Control Paint Markings of Roadways in conjunction with their regular maintenance type work schedule. The following are traffic control pavement markings specifications:

Center lines: Centerlines shall be either:

1. A normal broken yellow line.
2. A double line consisting of two normal solid yellow lines.
3. A double line consisting of one normal solid yellow line and a solid or broken yellow line as specified.

Lane Lines: Lane lines are normal broken white lines dividing lanes of traffic in the same direction.

Pavement Edge Lines: Pavement edge lines are normal lines to provide an edge of pavement guide, generally yellow on inside edge and white on outside edge of pavement. Pavement edge lines shall not be continued through intersections, but shall be continued through driveways.

Approach Marking Lines: Approach marking lines shall be an 8 inch wide, yellow line and crosshatch shall be 4 inch wide, yellow line.

The intent of the contract is to ensure the City of Rice Lake that Traffic Control Line Painting shall be done in a responsible and timely manner.

The Traffic Control Line Painting shall be done under the following specifications:

Equipment: All equipment for the work shall be approved by the Community Services Director and shall include the apparatus necessary to properly clean the existing surface, a mechanical marking machine, and such auxiliary hand painting equipment as may be necessary to satisfactorily complete the job. The mechanical marker shall be an atomizing spray-type marking machine suitable for application of traffic paint. It shall produce an even and uniform film thickness at the required coverage and shall be designed so as to apply markings of uniform cross sections and clear-cut edges without running or spattering.

Weather: The painting shall be performed only when the surface is dry, when the atmospheric temperature is above manufacturer's acceptable specifications, and when the weather is not foggy or windy.

Surface Preparation: Immediately before application of the paint, the surface shall be dry and free from dirt, grease, oil, laitance or other foreign material which would reduce the bond between the paint and the pavement. The area to be painted shall be cleaned by sweeping and blowing or by other methods as required to remove all dirt laitance and loose materials.

Layout of Markings: Markings shall be applied on those sections of roadways approved by the Community Services Director or duly-authorized personnel. New pavement marking installed without removal of existing marking shall be retraced over the existing configurations whenever possible. List of estimated Traffic Control Lines is attached.

Application: Marking shall be applied at the locations and to the dimensions and spacing designated by the Community Services Director or duly authorized representative. Paint shall not be applied until the layout and the Community Services Director or duly authorized representative has approved condition of the surface. The paint shall be mixed and placed in strict accordance with the manufacturer's instructions and specifications. Thinners shall be added only in strict accordance with manufacturer's printed directions. Traffic Control Marking Hot Paint shall be used for the purpose of this contract. Traffic Control Marking Paints shall be "freshened" within thirty (30) days of delivery and/or use.

Analysis sheet showing pigment and vehicle breakdowns in comparison to products specified shall be provided with each proposal. Hot Paint analysis will be reviewed accordingly.

The edges of the marking shall not vary from a straight line more than one-half inch in fifty feet, and the dimensions shall be within a tolerance of plus or minus five percent. Required glass spheres shall be distributed to the surface of the marked areas immediately after application of the paint. A dispenser shall be furnished which is properly designed for attachment to the marking machine and suitable for dispensing glass spheres at a minimum rate of ten pounds per gallon of paint.

The contractor shall furnish certified test reports for the materials to be used on each project. The reports shall not be interpreted as a basis for final acceptance. Community Services Director or duly authorized person(s) shall check all emptied containers.

Paint application specifications not outlined in this sheet shall be considered to be accomplished according to normal application methods of pavement markings as outlined in Section 646. Pavement Markings of the State of Wisconsin Standard specifications for Highway and Structure Construction (1996 edition).

All materials used in the work shall conform to the requirements specified for the class of material named and as hereinafter specified. Administrative rules and regulations of the Department of Natural Resources relating to volatile organic compound (VOC) limits shall be in compliance with the marking material selected.

Paint: The department approves pavement marking materials based on a combination of manufacturer or department performed tests and proven performance history. Provide the information specified for each individual material and additional material samples as the Director requests. A sample of a product may be required by the City, before using, in order to verify qualification. **The contractor may select any which are on the approved Department of Transportation, Bureau of Highway Operations product list for 2015. Products not on the approved list will require prequalification by the Department of Transportation, Bureau of Highway Operations before use on any city streets.**

Protection: After application of the paint, all markings shall be protected from damage until the paint is dry. All surfaces shall be protected from disfiguration by splatter, splashes, spillage or dripping of paint. Barricades, cones, or other forms of traffic management and/or protection shall be the responsibility of the Contractor.

Testing: The Community Services Director or duly authorized person(s) reserves the right to order testing, to assure compliance with this specification.

General:

1. Work to be done and amounts shall be set by Community Services Director duly authorized person(s).
2. Contractor shall proceed with Traffic Control Marking within ten (10) working days from time of notification of Community Services Director or duly authorized person(s).
3. Contractor shall conduct operations under this contract in compliance with all applicable laws.
4. City of Rice Lake reserves the right to assign job inspectors as deemed necessary by the Community Services Director or duly authorized person(s).
5. Contractor shall give written notification to Police, Fire and Community Services Departments of the municipality at least twenty-four (24) hours before closing off or in any way affecting through vehicular traffic on any street.
6. Contractor shall not litter premises in the process of completion of any part of this contract.
7. Contractor shall provide Community Services Director or duly authorized person(s) with current information regarding contract jobs upon request.
8. Contractor shall have a qualified person(s) in charge and shall give the name(s) to the City.
9. This contract constitutes the entire job and understanding between the parties, and hereto, and it shall be considered modified, altered, changed or amended in any respect unless in writing and signed by the parties hereto.
10. The failure of the City at any time to require performance by the Contractor of any provisions hereof shall in no way effect the right of the City thereafter to enforce same. Nor shall waiver by the City of any breach of such provisions hereof be taken or held to be a waiver of any succeeding breach of such provisions or as a waiver of any provision itself.
11. No assignment of the contact or any right occurring under this contract shall be made in whole or part without the express written consent of the City.
12. Contractor shall list any special conditions with bid or City shall expect Contractor to be in complete agreement with all parts of this contract.

13. Contractor will defend, save harmless, and exempt the City, its officers, agents, servants, and employees from and against any and all suits, actions, legal proceedings, claims, demands, costs, expenses, and attorneys' fees resulting from injury to person(s) or damage to property out of work done in the performance of this contract.
14. This contract shall not be construed as to include all Traffic Control Markings but shall be for items listed in this specification only.
15. The City of Rice Lake reserves the right to reject any or all bids, to waive informalities, and to accept the bid proposal deemed most advantageous to the City of Rice Lake.
16. Contractor shall not perform extra work without authorization of Community Services Director or duly authorized person(s).

LIABILITY INSURANCE REQUIRED:

No Contract shall be issued until Contractor has furnished satisfactory proof of a liability insurance policy in full force and effect in a company authorized to do business in the State of Wisconsin for his total operation in the amount of a One Million Dollar (\$1,000,000) complete liability umbrella policy covering injury, death or destruction of property of any person other than the Contractor. Proof of such policy shall be available upon request.

LIABILITIES:

As a condition of acceptance by City of any bid, bidder shall satisfy all outstanding liabilities, if any, owing to the City of Rice Lake by bidder.

NONDISCRIMINATION CLAUSE

Without limiting the generality of any of the provisions of this Agreement, CONTRACTOR, in its operations, and also as a part of the consideration hereof, shall maintain and operate its facility and provide its services in compliance with and pursuant to Title 49, Part 21, Code of Federal Regulations, nondiscrimination in federally-assisted programs of the Department of Transportation-Effectuation of Title VI of the Civil Rights Act of 1964, and as said Regulations may be amended; and shall not on the grounds of race, creed, color or national origin, physical limitation or disability, or on any other prohibited basis discriminate or permit discrimination against any person or group of persons in the manner whatsoever.

In addition, the CONTRACTOR covenants that it will undertake an affirmative action program as required by 14 CFR Part 152, Subpart E, to ensure that no person shall on the grounds of race, creed, color, national origin, or sex be excluded from participating in any employment activities covered in 14 CFR Part 2152, Subpart E. The CONTRACTOR assures the CITY that no person shall be excluded on these grounds from participating in or receiving the services or benefits of any program or activity covered by this Subpart. The CONTRACTOR assures that it will require that its covered sub organizations provide assurances to the CONTRACTOR that they similarly will undertake affirmative action programs and that they will require assurances from their suborganizations, as required by 14 CFR Part 152, Subpart E, to the same effect.

CONTRACT REVOCATION OR SUSPENSION

The Community Services Director or duly authorized representative may temporarily suspend this contract for any violation of these specifications for a period not exceeding three (3) days, or may revoke such contract after any opportunity for hearing before the City Council upon ten (10) days personal notice to the Contractor.

METHOD OF PAYMENT

Payment shall be made at the contract unit bid prices per **“each one (1) lineal foot of four (4) inch wide painted line”**. This price shall be full compensation for furnishing all materials and/or for all labor, equipment, tools and incidentals necessary to complete the item. Payment shall be made upon approval of the Community Services Director or duly authorized person(s). Bills must be received by the Community Services Dept. no later than 10 days prior to the second Tuesday of each month.

W-9:

An updated W-9 is required before any payments are made.

LIABILITIES

As a condition of acceptance by City of any bid, bidder shall satisfy all outstanding liabilities, if any, owing to the City of Rice Lake by bidder.

Sealed Bids shall be received until **2:00 p.m. Thursday, March 26, 2026**, at the City Clerk's office, 30 East Eau Claire St., Rice Lake, Wisconsin 54868. Bids shall be opened after 2:00 p.m. in the Council Chambers, 30 East Eau Claire St., Rice Lake, Wisconsin.

The City of Rice Lake reserves the right to reject any or all bids, to waive informalities, and to accept the proposal deemed most advantageous to the City of Rice Lake.

BID PROPOSAL

Proposal of _____

(hereinafter called "BIDDER"), organized and existing under the State of _____

doing business as _____ to the City of Rice Lake, Wisconsin

(Hereinafter called "OWNER").

In compliance with your Advertisement for Bids, BIDDER hereby proposes to perform all work for Traffic Control Paint Markings of Roadways in strict accordance with the Specifications, within the time set forth therein, and at the prices stated in the attached proposal forms.

By submission of this BID, each BIDDER certifies as to its own organization, that this BID has been arrived at independently, without consultation, communications, or agreement as to any matter relating to this BID with any other BIDDER or with any competitor.

BIDDER hereby agrees to commence work as specified under this contract.

BIDDER agrees to perform all work described in the Specification Documents for the following unit prices.

PROPOSAL FORM

Furnish and Install Traffic Control Paint Marking of Roadways Price to Include One Mobilization

| Item No. | Bid Item Description | Unit Price Per Linear Foot |
|----------|--|----------------------------|
| 1. | Normal/Broken Lane Line (white) | \$ |
| 2. | Double Solid Line (yellow) | \$ |
| 3. | Single Solid Edge of Pavement (white) | \$ |
| 4. | Single Solid Edge of Pavement (yellow) | \$ |
| 5. | Extra Mobilization | \$ /each |

*****The above items include all labor, equipment, and materials.*****

Please print estimated starting date: _____

In submitting this bid, it is understood that all work must be completed in accordance with the time schedule set forth in this proposal form. The City of Rice Lake reserves the right to reject any or all bids, to waive informalities, and to accept the bid proposal deemed most advantageous to the City of Rice Lake.

It is agreed that this bid will not be withdrawn.

Upon the acceptance of this proposal, the successful Bidder shall be the Contractor and all references in the proposal to the Bidder shall apply to the Contractor for the year bid.

Respectfully submitted,

Contractor _____

By _____

Title _____

Address _____

Telephone Number _____

Email _____

Name

Title

Date

SEAL (if Bid is by a Corporation)

City of Rice Lake

ESTIMATE OF TRAFFIC CONTROL PAINT MARKINGS OF ROADWAYS - MC 7
AMOUNTS MAY VARY DUE TO NEED. LIST IS JUST AN INVENTORY

| Street Name | Area | Type lines | ESTIMATED | |
|----------------------------------|---|--------------------------------|-------------------|--------------------|
| | | | Lineal Feet WHITE | Lineal Feet YELLOW |
| HAUGEN AV. or (Co. Hwy. "SS") | Lindy St. to Hammond Ave. | Edge of pavement-white | 8736 | |
| | Lindy St. to Hammond Ave. | Solid double centerline-yellow | | 8736 |
| 22 1/2 Ave. | Cty. SS to Lindy | yellow-varies | | |
| NORTH ST | Wisconsin Ave. to Hammond Ave. | Solid double centerline-yellow | | 2436 |
| LINDY ST | Lakeshore Dr. to Hwy 48 | Solid double centerline-yellow | | 2540 |
| TAINTER AVE | Kwik Trip parking lot entrance to Knapp St. | Solid double centerline-yellow | | 250 |
| HAMMOND AV. (or Hwy 48) | North St. to Knapp St. | Solid double centerline-yellow | | 4460 |
| | North St. to Knapp St. | Edge of pavement-white | 4415 | |
| KNAPP ST | Lakeshore to West Ave. | Edge of pavement-white | 2406 | |
| | | Solid double centerline-yellow | | 7759 |
| | | Broken lines-white | 1725 | |
| S BEAR PAW | Knapp St. to Stout St. | Solid double centerline-yellow | | 752 |
| W STOUT ST | Knapp St. to end by hospital | Solid double centerline-yellow | | 5530 |
| MAIN ST | North end to Short St. | Solid double centerline-yellow | | 938 |
| | Evans St. to S/end median | Solid double centerline-yellow | | 17711 |
| | Evans St. to South city limits | Broken lines-white | 6664 | |
| | Farm & Fleet Drive to south city limits Only where no curb | Edge of pavement-yellow | | 5301 |
| | Farm & Fleet Drive to south city limits | Edge of pavement-white | 8871 | |
| CORNELL AV | Messenger St to Knapp St. | Solid double centerline-yellow | | 4354 |
| MARSHALL ST | Main St. E. Alley to Wisc. Ave. | Solid double centerline-yellow | | 6242 |
| WILSON AV | Water St. to Knapp St. | Solid double centerline-yellow | | 6476 |
| MESSENGER ST | Newton St. to Wisconsin Ave. | Solid double centerline-yellow | | 6658 |
| LAKESHORE DR | Newton St. to E. Knapp St. | Solid double centerline-yellow | | 5090 |
| LAKESHORE DR. | Hwy 48 to Lindy St. | Solid double centerline-yellow | | 5536 |
| LAKESHORE Dr. | Marshall St. to north end | Edge of pavement-white | 4920 | |

| Street Name | Area | Type lines | Lineal Feet WHITE | Lineal Feet YELLOW |
|--------------------|------------------------------------|--------------------------------|-------------------|--------------------|
| AUGUSTA ST. | Wisconsin Av. to West Ave. | Solid double centerline-yellow | | 5108 |
| ALLEN ST. | Alley E. of Main St. to West Ave. | Solid double centerline-yellow | | 15162 |
| WEST AV | Knapp St. to south city limits | Solid double centerline-yellow | | 10086 |
| | Knapp St. to north city limits | Solid double centerline-yellow | | 10187 |
| FRONTAGE RD | So. Access to Main St. | Solid double centerline-yellow | | 2459 |
| SAWYER ST | Macauley Ave. to City Limits | Solid double centerline-yellow | | 8796 |
| | Kern Av. to Narrows Bridge | Edge of pavement - white | 1404 | |
| COLAN BLVD | Sawyer St. to south end circle | Solid double centerline-yellow | | 7291 |
| ORCHARD BEACH LANE | Main St. to east city limits | Solid double centerline-yellow | | 7561 |
| | Bayview to east city limits | Edge of pavement lines-white | 7769 | |
| MONTANIS AV | Orchard Beach to south city limits | Solid double centerline-yellow | | 832 |
| WISCONSIN AV | Southwest St. to Knapp St. | Solid double centerline-yellow | | 12822 |
| | 19th St. to Co. "O" | Solid double centerline-yellow | | 5304 |
| | Hwy O to approx 400' south | Solid double centerline-yellow | | 800 |
| COLEMAN ST | Manwaring to west end | Solid double centerline-yellow | | 5015 |
| COLLEGE DR | Pioneer Ave. to South Access | Solid double centerline-yellow | | 11633 |
| | South Access to Pioneer Ave. | Solid double centerline-yellow | | 2315 |
| NEWTON ST | Main St. to Lakeshore Dr. | Solid double centerline-yellow | | 2120 |
| EAU CLAIRE ST | Main St. to Lakeshore Dr. | Solid double centerline-yellow | | 1245 |
| DECKER "North" | CTH O to Vavia | Solid double centerline-yellow | | 8729 |
| DECKER "South" | CTH O to Wisconsin Ave. | Solid double centerline-yellow | | 2609 |
| LEMLER RD | Main St. to east end | Broken lines-white | 250 | |
| BURTON ST | Main St. to west terminus | Solid double centerline-yellow | | 400 |
| CAMELOT LANE | Main St. (Cty. SS) to terminus | Solid double centerline-yellow | | 6040 |

| Street Name | Area | Type lines | ESTIMATED | |
|------------------------------|------------------------------------|--------------------------------|-------------------|--------------------|
| | | | Lineal Feet WHITE | Lineal Feet YELLOW |
| CENEX | West Ave. to east end | Solid double centerline-yellow | | 573 |
| SOUTH ACCESS / (CO. HWY "O") | Main St. to Red Cedar River Bridge | Broken lines-white | 1060 | |
| PIONEER AV | County "O" to Bracklin St. | Solid double centerline-yellow | | 13788 |
| BRACKLIN ST | Pioneer Ave to S. Main St. | Solid double centerline-yellow | | 827 |
| SOUTH ST | Kern Av. To west terminus | Solid double centerline-yellow | | 11158 |
| MACAULEY AV | Main St. to Allen St. | Solid double centerline-yellow | | 5544 |
| KERN AV | Sawyer to south terminus | Solid double centerline-yellow | | 9988 |
| HATTEN AVE | Allen St. to Messenger | Solid double centerline-yellow | | 2460 |
| WISCONSIN | North St to 1040' north | Solid double centerline-yellow | | 1940 |
| | | TOTAL | 48,220 | 263,561 |
| | | TOTAL BOTH COLUMNS | 311,781 | |